

CONCEPT

25.1 **BOOK**



geotiles
cerámica



“Art in every piece, history in every collection”

Discover our catalog of ceramic materials, where tradition and innovation merge to create unique and durable designs.



		60x120/ 24" x 48"	20x120/ 8" x 48"	100x100/ 40" x 40"	25x100/ 10" x 40"	90x90/ 36" x 36"	20x75/ 8" x 30"	30,3x61,3/ 12" x 24"	60,8x60,8/ 24" x 24"	60x60/ 24" x 24"	30x60/ 12" x 24"	33,3x33,3/ 13" x 13"	15x15/ 6" x 6"
ADZ LAVICA												●	
ADZ TEVERE												●	
ARGON									●			●	
BALI								●					●
BALISTONE								●					
BELLVER					●								
CORALINA		●											
EDDYSTONE	I 14	●				●			●				
CUMBRIA		●						●	●	●	●		
HARU	I 80		●										
HERMES	I 26	●							●				
MATERIA						●				●			
MONTPELLIER						●			●	●			
NEPAL								●					
NORDIK			●										
OPERA							●						
PORTLAND	I 50	●				●			●				
SERENNA	I 34			●						●			
TABULA	I 88		●										

High-adhesion anti-slip flooring C3 R11



		60x120/ 24" x 48"	40x60/ 16" x 24"	90x90/ 36" x 36"	30,3x61,3/ 12" x 24"	60,8x60,8/ 24" x 24"	60x60/ 24" x 24"	30x60/ 12" x 24"	45x45/ 18" x 18"
ARDESIA	I 8	●					●	●	
AREHUK		●						●	
BALISTONE		●							
ROCK BORBA			●						
ROCK EDDYSTONE	I 14		●						
ROCK MATERIA			●						
TALO	I 60	●		●		●	●	●	
TERRACOTTA									●

Anti-slip flooring with a smooth texture and easy cleaning, suitable for both indoor and outdoor use C3 R10

Sizes

120x280

Cromatic	I 114
Eddystone	I 113
Ground	I 114
Portland	I 114
Zero	I 114

120x280

Eddystone	I 113
Portland	I 114

75x150

Ground	I 42
--------	------

25x150

Haru	I 80
------	------

120x120

Eddystone	I 14
Ground	I 42
Hermes	I 26
Portland	I 50
Serenna	I 34
Zero	I 66

60x120

ADZ Ardesia (20mm)	I 107
ADZ Eddystone (20mm)	I 107
ADZ Ground (20mm)	I 106
Ardesia	I 8
Blanco	I 100
Cromatic	I 96
Eddystone	I 14
Hermes	I 26
Ground	I 42
Portland	I 50
Rlv Haru	I 84
Serenna	I 34
Talo	I 60
Zero	I 66

20x120

Haru	I 80
Tabula	I 88

100x100

Eddystone	I 14
Portland	I 50
Serenna	I 34

33,3x100

Blanco	I 100
Eddystone	I 20
Gardena	I 101
Hermes	I 30

90x90

ADZ Ground (20mm)	I 106
ADZ Portland (20mm)	I 106
Eddystone	I 14
Ground	I 42
Hermes	I 26
Portland	I 50
Talo	I 60
Zero	I 66

60x90

ADZ Ardesia (20mm)	I 107
ADZ Ground (20mm)	I 106
ADZ Eddystone (20mm)	I 107

30x90

Blanco	I 100 102
Gardena	I 101
Ground	I 46
Niseko	I 101
Lary	I 101
Lasa	I 101
Portland	I 56
Rlv Blanco	I 101
Wall	I 101
Zero	I 72

36x80

Blanco	I 100
Eddystone	I 21
Gardena	I 101
Portland	I 57
Zero	I 73

25x70

Artic	I 102
Eddystone	I 22
Hermes	I 32
Polar	I 102
Zero	I 74

30,3x61,3

Ground	I 42
--------	------

60,8x60,8

Eddystone	I 14
Ground	I 42
Hermes	I 26
Portland	I 50
Talo	I 60
Zero	I 66

60x60

ADZ Ardesia (20mm)	I 107
ADZ Eddystone (20mm)	I 107
ADZ Ground (20mm)	I 106
ADZ Portland (20mm)	I 106
Ardesia	I 8
Cromatic	I 96
Eddystone	I 14
Ground	I 42
Hermes	I 26
Portland	I 50
Serenna	I 34
Talo	I 60
Zero	I 66

31,6x60

Blanco	I 102
Rlv Blanco	I 101 102
Rlv Zero	I 75

40x60

Eddystone	I 14
-----------	------

30x60

Ardesia	I 8
Blanco	I 100
Cromatic	I 96
Eddystone	I 14
Ground	I 42 46
Hermes	I 26
Portland	I 50
Serenna	I 34
Talo	I 60
Zero	I 66

33,3x55

Artic	I 102
Cubic	I 102
Eddystone	I 23
Polar	I 102
Portland	I 58
Sky	I 102

45x45

Zero	I 66
------	------



STONE LOOK

Their textures transport us to wild landscapes, where the rawness of the stone evokes strength and eternity. But on its surface, we also find the softness of time, a softness that only centuries can bestow.





White

Grey

Black

Bone



Ardesia Grey 60x120 · 24"x48"

Tech info

White

Grey

Black


Bone

R10B


Graphic Development

PORCELAIN						
60x120(n)rec · 24"x48"	•	•	•	•	M068	12 faces
60x120x20mm rec · 24"x48"	•	•	•	•	M209	12 faces
60x90x20mm rec · 24"x36"	•	•	•	•	M179	26 faces
60x60(n)rec · 24"x24"	•	•	•	•	M045	24 faces
60x60x20mm rec · 24"x24"	•	•	•	•	M193	24 faces
30x60(n)rec · 12"x24"	•	•	•	•	M255	48 faces


Special pieces




Malla
30x30(5x5) · 12"x12"(2"x2")



Malla Hexagonal
32,5x22,5 · 13"x9"



Malla
30x30(3x15) · 12"x12"(1,5"x6")



Malla
30x30 (2,3x2,3) · 12"x12"
(0,9"x0,9")

* Check stocks and minimum order quantities.



Special Step
30x120 · 12"x48"



Step angle squared edge
33x120 · 13"x48"



Skirting
(Available in all formats)





Blanco



Perla



Gris



Mica



Arena



Rlv Blanco
18



Rlv Perla



Rlv Gris



Rlv Mica



Rlv Arena

Eddystone

White Body



Blanco 33,3x100 rec · 13"x40"



Rlv Blanco 33,3x100 rec · 13"x40"



Arena 33,3x100 rec · 13"x40"



Arena 33,3x100 rec · 13"x40"



Eddystone Arena 33,3x100 · 13"x40" | Rlv Eddystone Arena · 13"x40"



Blanco 36x80 · 14"x31"



Rlv Blanco 36x80 · 14"x31"



Arena 36x80 · 14"x31"



Rlv Arena 36x80 · 14"x31"



Eddystone Arena 36x80 · 14"x31" | Rlv Eddystone Arena 36x80 · 14"x31"

Matt White Body
| stone look



Eddystone

Red Body



Blanco 25x70 · 10"x28"



Rlv Blanco 25x70 · 10"x28"



Perla 25x70 · 10"x28"



Rlv Perla 25x70 · 10"x28"



Arena 25x70 · 10"x28"



Rlv Arena 25x70 · 10"x28"



Rlv Eddystone Perla 25x70 · 10"x28"

Matt Red Body
| stone look



Blanco 33,3x55 · 13"x22"




Rlv Blanco 33,3x55 · 13"x22"




Perla 33,3x55 · 13"x22"



Rlv Perla 33,3x55 · 13"x22"



Arena 33,3x55 · 13"x22"



Rlv Arena 33,3x55 · 13"x22"



Eddystone Blanco 33,3x55 · 13"x22" | Rlv Eddystone Blanco 33,3x55 · 13"x22"



ADZ Eddystone Arena 60x60x20mm · 24"x24"


Tech info




- Blanco
- Perla
- Gris
- Mica
- Arena
- Matt R9
- R10A
- Anti-Slip R11
- Graphic Development

PORCELAIN						
120x280x6mm rec · 48"x110"	•	•		•	M171	• 3 faces
160x160x8mm rec · 63"x63"	•	•		•	M205	• 6 faces
120x120 rec · 48"x48"	•	•	•	•	M108	• 5 faces
100x100 rec · 40"x40"	•	•	•	•	M256	• 6 faces
60x120(n) rec · 24"x48"	•	•	•	•	M068	• 10 faces
60x120(n) RLV rec · 24"x48"	•	•	•	•	M185	• 4 faces
60x120(n) ADZ rec · 24"x48"		•				M190 10 faces
60x120x20mm ADZ rec · 24"x48"	•	•		•	M209	M209 10 faces
90x90 rec · 36"x36"	•	•	•	•	M100	• 10 faces
90x90 ADZ rec · 36"x36"		•				M189 10 faces
90x60x20mm ADZ rec · 24"x36"	•	•		•		M179 10 faces
60x60 rec · 24"x24"	•	•	•	•	M070	• 20 faces
60x60x20mm ADZ rec · 24"x24"	•	•		•	M193	• 20 faces
60,8x60,8 · 24"x24"	•	•	•	•	M055	• 20 faces
60,8x60,8 ADZ · 24"x24"	•	•				M059 20 faces
40x60 ROCK S.Grip rec · 16"x24" (R10B)		•				M215 20 faces
30x60 rec · 12"x24"	•	•	•	•	M065	• 40 faces
WHITE BODY						
33,3x100 rec · 13"x40"	•			•	M050	• 19 faces
33,3x100 RLV rec · 13"x40"	•			•	M213	• 19 faces
36x80 · 14"x31"	•			•	M042	• 16 faces
36x80 RLV · 14"x31"	•			•	M170	• 4 faces
RED BODY						
33,3x55 · 13"x22"	•	•		•	M011	• 21 faces
33,3x55 RLV · 13"x22"	•	•		•	M014	• 21 faces
25x70 · 10"x28"	•	•		•	M018	• 17 faces
25x70 RLV · 10"x28"	•	•		•	M020	• 17 faces


Special pieces




Malla
30x30(5x5) · 12"x12"(2"x2")



Malla Hexagonal
32,5x22,5 · 13"x9"



Malla
30x30(3x15) · 12"x12"(1,5"x6")



Malla
30x30 (2,3x2,3) · 12"x12"
(0,9"x0,9")

* Check stocks and minimum order quantities.



Special Step
33x120 · 13"x48"



Step angle squared edge
33x120 · 13"x48"



Skirting
(Available in all formats)



Hermes Blanco 120x120 · 48"x48" | Hemes Gris 120x120 · 48"x48" | Rlv Hermes Gris 60x120 · 24"x48"




Blanco



Perla



Mud



Gris



Rlv Gris



Marfil



Rlv Marfil

Hermes

White Body

Matt White Body
| stone look



Blanco 33,3x100 rec · 13"x40"



Rlv Blanco 33,3x100 rec · 13"x40"



Marfil 33,3x100 rec · 13"x40"



Rlv Marfil 33,3x100 rec · 13"x40"



Hermes Marfil 33,3x100 · 13"x40" | Rlv Hermes Marfil 33,3x100 · 13"x40"

Hermes

Red Body



Blanco 25x70 · 10"x28"



Rlv Blanco 25x70 · 10"x28"



Perla 25x70 · 10"x28"



Rlv Perla 25x70 · 10"x28"



Marfil 25x70 · 10"x28"



Rlv Marfil 25x70 · 10"x28"



Hermes Blanco 25x70 · 10"x28" | Rlv Hermes Blanco 25x70 · 10"x28"


Tech info

	Blanco	Perla	Gris	Marfil	Mud	Matt R9A	Anti-Slip R11	Graphic Development
PORCELAIN								
120x120 rec · 48"x48"	•	•	•	•	•	M108		5 faces
60x120(n) rec · 24"x48"	•	•	•	•	•	M184		10 faces
60x120(n)RLV rec · 24"x48"			•	•		M185		4 faces
60x120(n)ADZ rec · 24"x48"	•			•			M190	10 faces
90x90 rec · 36"x36"	•	•	•	•	•	M100		10 faces
60x60 rec · 24"x24"	•	•	•	•	•	M070		20 faces
60,8x60,8 · 24"x24"	•	•	•	•	•	M055		20 faces
60,8x60,8 ADZ · 24"x24	•	•	•	•	•		M059	20 faces
30x60 rec · 12"x24"	•	•	•	•	•	M065		40 faces
WHITE BODY								
33,3x100 rec · 13"x40"	•			•		M050		17 faces
33,3x100 RLV rec · 13"x40"	•			•		M213		17 faces
RED BODY								
25x70 · 10"x28"	•	•		•		M018		23 faces
25x70 RLV · 10"x28"	•	•		•		M020		23 faces


Matt Red Body
| stone look




Special pieces




Malla
30x30(5x5) · 12"x12"(2"x2")



Malla Hexagonal
32,5x22,5 · 13"x9"



Malla
30x30(3x15) · 12"x12"(1,5"x6")



Malla
30x30 (2,3x2,3) · 12"x12"
(0,9"x0,9")

* Check stocks and minimum order quantities.



Special Step
30x120 · 12"x48"



Step angle squared edge
33x120 · 13"x48"



Skirting
(Available in all formats)





White

Grey

Bone

Mud

Tech info



Serenna Mud 120x120 · 48"x48"

White

Grey

Bone

Mud

ADZ

Matt R9


ADZ

Anti-Slip R11


Graphic Development

PORCELAIN						
120x120 rec · 48"x48"	•	•	•	•	M108	6 faces
100x100 rec · 40"x40"	•	•	•	•	M256	6 faces
100x100 ADZ rec · 40"x40"	•	•	•		M257	6 faces
60x120(n)rec · 24"x48"	•	•	•	•	M184	12 faces
60x60(n)rec · 24"x24"	•	•	•	•	MO45	24 faces
60x60(n) ADZ rec · 24"x24"	•	•	•		M258	24 faces
30x60(n)rec · 12"x24"	•	•	•	•	M255	48 faces


Special pieces




Malla
30x30(5x5) · 12"x12"(2"x2")



Malla Hexagonal
32,5x22,5 · 13"x9"



Malla
30x30(3x15) · 12"x12"(1,5"x6")



Malla
30x30 (2,3x2,3) · 12"x12"
(0,9"x0,9")

* Check stocks and minimum order quantities.



Special Step
30x120 · 12"x48"



Step angle squared edge
33x120 · 13"x48"



Skirting
(Available in all formats)



The nobility of Cement

MATT SURFACE

CONCRETE LOOK

The essence of concrete

A perfect balance between the rough and the delicate. The textured surface offers a dance of lights and shadows, a visual play that challenges perception, making every step on it a constant discovery.





Perla
44

Gris


Marengo

Arena

Ground

White Body

Matt White Body
| concrete look



Arena 30x90 rec · 12"x36"



Blanco 30x90 rec · 12"x36



Perla 30x90 rec · 12"x36



Corfu Perla 30x90 rec · 12"x36



Rlv Arena 30x90 rec · 12"x36



Rlv Blanco 30x90 rec · 12"x36



Rlv Perla 30x90 rec · 12"x36



Ground Blanco 30x90 · 12"x36" | Rlv Ground Blanco 30x90 · 12"x36"

Ground


White Body



Perla 30x60 rec · 12"x24"



Rlv Perla 30x60 rec · 12"x24"



Arena 30x60 rec · 12"x24"



Rlv Arena 30x60 rec · 12"x24"



Ground Perla 30x60 · 12"x24" | Rlv Ground Perla 30x60 · 12"x24"

Tech info


Matt White Body
| concrete look




- Blanco
- Perla
- Gris
- Marengo
- Arena
- Matt R9
- R10B
- Anti-Slip R11
- Graphic Development

PORCELAIN						
120x280x6mm rec · 48"x110"	•	•		•	M171	4 faces
75x150 rec · 30"x60"	•	•	•	•	M105	12 faces
120x120 rec · 48"x48"	•	•	•	•	M108	12 faces
60x120 rec · 24"x48"	•	•	•	•	M094	24 faces
60x120x20mm ADZ rec · 24"x48"	•	•	•	•		M209 24 faces
90x90 rec · 36"x36"	•	•	•	•	M100	12 faces
90x90x20mm ADZ rec · 36"x36"	•	•	•	•		M208 12 faces
60x90x20mm ADZ rec · 24"x36"	•	•	•	•		M179 12 faces
60x60 rec · 24"x24"	•	•	•	•	M070	36 faces
60x60x20mm ADZ rec · 24"x24"	•	•	•	•		M193 36 faces
60,8x60,8 · 24"x24"	•	•	•	•	M055	36 faces
30x60 rec · 12"x24"	•	•	•	•	M065	72 faces
30,3x61,3 · 12"x24"	•	•	•	•	M054	72 faces
WHITE BODY						
30x90 rec · 12"x36"	•	•		•	M057	16 faces
30x90 RLV rec · 12"x36"	•	•		•	M062	16 faces
30x90 Corfu rec · 12"x36"					M158	2 faces
30x60(n) rec · 12"x24"	•			•	M041	18 faces
30x60(n) RLV rec · 12"x24"	•			•	M047	18 faces


Special pieces




Malla
30x30(5x5) · 12"x12"(2"x2")



Malla Hexagonal
32,5x22,5 · 13"x9"



Malla
30x30(3x15) · 12"x12"(1,5"x6")



Malla
30x30 (2,3x2,3) · 12"x12"
(0,9"x0,9")

* Check stocks and minimum order quantities.



Special Step
30x120 · 12"x48"



Step angle squared edge
33x120 · 13"x48"



Skirting
(Available in all formats)





Blanco



Perla




Gris




Marfil



Rlv Blanco



Rlv Perla



Rlv Gris




Rlv Marfil

Portland

White Body

Matt White Body
| concrete look



Blanco 30x90 rec · 12"x36"



Rlv Blanco 30x90 rec · 12"x36




Mafil 30x90 rec · 12"x36



Rlv Marfil 30x90 rec · 12"x36



Portland Blanco 30x90 · 12"x36" | Rlv Portland Blanco 30x90 · 12"x36



Blanco 36x80 · 14"x31"



Rlv Blanco 36x80 · 14"x31"



Perla 36x80 · 14"x31"



Rlv Perla 36x80 · 14"x31"



Marfil 36x80 · 14"x31"




Marfil 36x80 · 14"x31"



Portland Blanco 36x80 · 14"x31" | Rlv Portland Blanco 36x80 · 14"x31"

Portland

Red Body



Blanco 33,3x55 · 13"x22"



Rlv Blanco 33,3x55 · 13"x22"



Perla 33,3x55 · 13"x22"



Rlv Perla 33,3x55 · 13"x22"



Marfil 33,3x55 · 13"x22"



Rlv Marfil 33,3x55 · 13"x22"




Portland Marfil 33,3x55 · 13"x22" | Rlv Portland Marfil 33,3x55 · 13"x22"


Tech info

	Blanco	Perla	Gris	Marfil	Matt R9	Anti-Slip R11	Silk	Graphic Development
PORCELAIN								
120x280x6mm rec · 48"x110"	•	•		•	M171			3 faces
160x160x8mm rec · 63"x63"	•	•		•	M205			4 faces
120x120 rec · 48"x48"	•	•	•	•	M108		M200	6 faces
100x100 rec · 40"x40"	•	•	•	•	M256			6 faces
60x120(n) rec · 24"x48"	•	•	•	•	M184			12 faces
60x120(n) RLV rec · 24"x48"	•	•	•	•	M185			4 faces
60x120(n) ADZ rec · 24"x48"		•		•		M190		12 faces
90x90 rec · 36"x36"	•	•	•	•	M100		M199	12 faces
90x90 ADZ rec · 36"x36"		•		•		M189		12 faces
90x90x20mm ADZrec · 36"x36"	•	•	•	•		M208		12 faces
60x60 rec · 24"x24"	•	•	•	•	M070			24 faces
60x60x20mm ADZrec · 24"x24"	•	•	•	•		M193		24 faces
60,8x60,8 · 24"x24"	•	•	•	•	M055			24 faces
60,8x60,8 ADZ · 24"x24"		•		•		M059		24 faces
30x60 rec · 12"x24"	•	•	•	•	M065			48 faces
WHITE BODY								
30x90 rec · 12"x36"	•			•	M057			19 faces
30x90 RLV rec · 12"x36"	•			•	M062			19 faces
36x80 · 14"x31"	•	•		•	M042			12 faces
36x80 RLV · 14"x31"	•	•		•	M170			12 faces
RED BODY								
33,3x55 · 13"x22"	•	•		•	M011			10 faces
33,3x55 RLV · 13"x22"	•	•		•	M014			10 faces


Special pieces




Malla
30x30(5x5) · 12"x12"(2"x2")



Malla Hexagonal
32,5x22,5 · 13"x9"



Malla
30x30(3x15) · 12"x12"(1,5"x6")



Malla
30x30 (2,3x2,3) · 12"x12"
(0,9"x0,9")

* Check stocks and minimum order quantities.



Special Step
33x120 · 13"x48"



Step angle squared edge
33x120 · 13"x48"



Skirting
(Available in all formats)

Matt Red Body
| concrete look







Perla

Ceniza

Gris

Arena

Taupe



Talo Perla 60x120 · 24"x48" | Talo Gris 60x120 · 24"x48" | Talo Ceniza 60x120 · 24"x48"


Tech info

- 
Perla
- 
Ceniza
- 
Gris
- 
Arena
- 
Taupe
- 
R10B
- Graphic Development


PORCELAIN							
60x120(n) rec · 24"x48"	•	•	•	•	•	M068	8 faces
90x90 rec · 36"x36"	•	•	•	•	•	M091	8 faces
60x60 rec · 24"x24"	•	•	•	•	•	M056	16 faces
60,8x60,8 · 24"x24"	•	•	•	•	•	M038	16 faces
30x60 rec · 12"x24"	•	•	•	•	•	M141	29 faces

* Available in R9A - Serie Zero


Special pieces




Malla
30x30(5x5) · 12"x12"(2"x2")



Malla Hexagonal
32,5x22,5 · 13"x9"



Malla
30x30(3x15) · 12"x12"(1,5"x6")



Malla
30x30 (2,3x2,3) · 12"x12"
(0,9"x0,9")

* Check stocks and minimum order quantities.



Special Step
30x120 · 12"x48"



Step angle squared edge
33x120 · 13"x48"



Skirting
(Available in all formats)





Perla

Ceniza

Gris

Denim

Arena


Taupe

Coral


Salvia



Zero Ceniza 60x120 · 24”x48” / Zero Denim 60x120 · 24”x48” / Rlv Zero Denim 31,6x60 · 12,6”x24”



Rlv Zero Ceniza



Rlv Zero Arena

Zero

White Body



Perla 30x90 rec · 12"x36"




Rlv Perla 30x90 rec · 12"x36"



Ceniza 30x90 rec · 12"x36"



Rlv Ceniza 30x90 rec · 12"x36"



Arena 30x90 rec · 12"x36"



Rlv Arena 30x90 rec · 12"x36"



Zero Ceniza 30x90 · 12"x36" | Rlv Zero Ceniza 30x90 · 12"x36"

Matt White Body
| concrete look




Perla 36x80 · 14"x31"



Rlv Perla 36x80 · 14"x31"



Arena 36x80 · 14"x31"




Rlv Arena 36x80 · 14"x31"



Zero Arena 36x80 · 14"x31" | Rlv Zero Arena 36x80 · 14"x31"

Zero


Red Body



Perla 25x70 · 10"x28"



Rlv Perla 25x70 · 10"x28"



Arena 25x70 · 10"x28"



Rlv Arena 25x70 · 10"x28"



Zero Perla 25x70 · 10"x28" | Rlv Zero Perla 25x70 · 10"x28"

Matt Red Body

| concrete look



Rlv Perla 31,6x60 · 12,6"x24"



Rlv Arena 31,6x60 · 12,6"x24"



Rlv Ceniza 31,6x60 · 12,6"x24"



Rlv Coral 31,6x60 · 12,6"x24"



Rlv Denim 31,6x60 · 12,6"x24"



Rlv Salvia 31,6x60 · 12,6"x24"



Rlv Zero Denim 31,6x60 · 12,6"x24"




Zero Denim 60x120 · 24"x48"

Tech info


- Perla
- Ceniza
- Gris
- Denim
- Taupe
- Salvia
- Coral
- Arena
- Matt R9A
- Graphic Development

PORCELAIN						
120x280x6mm rec · 48"x110"	•	•				M171 3 faces
120x120 rec · 48"x48"	•	•	•	•		M108 4 faces
60x120(n) rec · 24"x48"	•	•	•	•	•	M184 8 faces
60x120 RLV(n) rec · 24"x48"		•				M185 5 faces
90x90 rec · 36"x36"	•	•	•	•		M091 8 faces
60x60 rec · 24"x24"	•	•	•	•		M056 16 faces
60,8x60,8 · 24"x24"	•	•	•	•		M038 16 faces
45x45 · 18"x18"	•	•	•	•		M035 16 faces
30x60 rec · 12"x24"	•	•	•	•		M065 29 faces
WHITE BODY						
30x90 rec · 12"x36"	•	•				M057 15 faces
30x90 RLVrec · 12"x36"	•	•				M062 15 faces
36x80 · 14"x31"	•					M042 12 faces
36x80 RLV · 14"x31"	•					M170 12 faces
RED BODY						
25x70 · 10"x28"	•					M018 24 faces
25x70 RLV · 10"x28"	•					M020 4 faces
31,6x60 RLV · 12,6"x24"	•	•		•	•	M120 6 faces


Special pieces




Malla
30x30 (5x5) · 12"x12" (2"x2")



Malla Hexagonal
32,5x22,5 · 13"x9"



Malla
30x30 (3x15) · 12"x12" (1,5"x6")



Malla
30x30 (2,3x2,3) · 12"x12" (0,9"x0,9")

* Check stocks and minimum order quantities.



Special Step
30x120 · 12"x48"



Step angle squared edge
33x120 · 13"x48"



Skirting
(Available in all formats)

The serenity of the forest
THE TIMELESS BEAUTY OF WOOD

Wood look

The knots and grains, naturally arranged with precision, brings on a touch that is both smooth and captivating. The varied texture offers a visual play that challenges perception, making every step on it a constant discovery.







Almond



Miel



Tan



Roble



Rlv Almond



Rlv Miel



Rlv Tan



Rlv Roble



Rlv Haru Tan 60x120 · 24"x48" | Haru Tan 20x120 · 8"x48"


Tech info

	Almond	Miel	Tan	Roble	Matt R9A	Anti-Slip R11	Graphic Development
PORCELAIN							
60x120(n) RLV rec · 24"x48"	•	•	•	•	M173		4 faces
25x150 rec · 10"x60"	•	•	•	•	M154		33 faces
20x120(n) rec · 8"x48"	•	•	•	•	M061		51 faces
20x120(n) ADZ rec · 8"x48"	•	•	•			M063	51 faces


Special pieces



Malla Her
39x22 · 15"x9"



Malla Hexagonal
32,5x22,5 · 13"x9"



Malla
30x30(3x15) · 12"x12"(1,5"x6")

* Consultar stocks y cantidades mínimas.



Special Step
32x120 · 12"x48"



Step angle squared edge
33x120 · 13"x48"



Skirting
(Available in all formats)





Haya
90



Miel



Cerezo



Blanco



Ceniza



Tabula Miel ADZ 20x120 · 8"x48"


Tech info

	Haya	Miel	Cerezo	Blanco	Ceniza	Matt R9A	Anti-Slip R11	Graphic Development
PORCELÁNICO								
20x120(n) rec · 8"x48"	•	•	•	•	•	M061		33 faces
20x120(n) ADZ rec · 8"x48"	•	•	•		•		M063	33 faces


Special pieces



Malla Her
39x22 · 15"x9"



Malla Hexagonal
32,5x22,5 · 13"x9"



Malla
30x30(3x15) · 12"x12"(1,5"x6")

* Check stocks and minimum order quantities.



Special Step
32x120 · 12"x48"



Skirting
(Available in all formats)



"Each piece, with its uniform surface and subtle tones, is a canvas of pure beauty, where chromatic perfection reveals the poetry of minimalism."


Unique look

Symphony of tones whispering stories of minimalism and sophistication, blending the simple with the sublime.

In its simplicity, ceramic captures the essence of modern design, echoing the genuine purity of chromatic simplicity, still fresh from recent application.

In the serenity of a space, monochromatic ceramic tiles become silent narrators, eternal guardians of beauty born from simplicity, reminding us that even in the purity of a single color, the warmth of poetry can be found.





Blanco

Perla


Black

Tech info




PORCELAIN						
120x280x6mm rec · 48"x110"	•		•	M172	M171	1 face
60x120 rec · 24"x48"	•	•	•		MO94	1 face
60x60 rec · 24"x24"	•	•	•		MO70	1 face
30x60 rec · 12"x24"	•	•	•		MO65	1 face


Special pieces




Malla
30x30(5x5) · 12"x12"(2"x2")



Malla Hexagonal
32,5x22,5 · 13"x9"



Malla
30x30(3x15) · 12"x12"(1,5"x6")



Malla TC
30x30 (2,3x2,3) · 12"x12"
(0,9"x0,9")

* Check stocks and minimum order quantities.



Special Step
30x120 · 12"x48"




Skirting
(Available in all formats)


Blanco

White Body


Glossy White Body
| unique look



Blanco Mate 60x120 rec · 24"x48"




Blanco Brillo | Blanco Mate 33,3x100 rec · 13"x40"



Blanco Brillo | Blanco Mate 30x90 rec · 12"x36"



Blanco Brillo | Blanco Mate 36x80 · 14"x31"



Blanco Brillo | Blanco Mate
30x60 rec · 12"x24"



Blanco Mate 36x80 · 14"x31"




Rlv Blanco Brillo 30x90 rec · 12"x36"



Wall 30x90 rec · 12"x36"




Niseko 30x90 rec · 12"x36"




Lary 30x90 rec · 12"x36"



Fasa 30x90 rec · 12"x36"



Gardena 33,3x100 rec · 13"x40"



Gardena 30x90 rec · 12"x36"




Gardena 36x80 · 14"x31"




Blanco Brillo 30x90 · 12"x36" | Lary 30x90 · 12"x36" | Niseko 30x90 · 12"x36"

Blanco


Red Body




Blanco Brillo | Blanco Mate 30x90 · 12”x36”



Polar 25x70 · 10”x28”



Artic 25x70 · 10”x28”



Blanco Brillo | Blanco Mate
31,6x60 · 12,6”x24”



Rlv Blanco Brillo | Rlv Blanco Mate
31,6x60 · 12,6”x24”



Artic 33,3x55 · 13”x22”



Cubic 33,3x55 · 13”x22”



Polar 33,3x55 · 13”x22”



Sky 33,3x55 · 13”x22”



Blanco Brillo 33,3x55 · 13”x22” | Cubic 33,3x55 · 13”x22”

Tech info

	 Blanco	 Gloss	 Matt	Graphic Development
WHITE BODY				
60x120 rec · 24”x48”	•		M214	1 face
33,3x100 rec · 13”x40”	•	M050	M050	1 face
33,3x100 Gardena rec · 13”x40”	•		M050	1 face
30x90 rec · 12”x36”	•	M057	M057	1 face
30x90 RLV rec · 12”x36”	•	M062	M062	1 face
30x90 Wall rec · 12”x36”	•		M062	1 face
30x90 Gardena rec · 12”x36”	•		M057	1 face
30x90 Lary rec · 12”x36”	•		M057	1 face
30x90 Fasa rec · 12”x36”	•		M057	1 face
30x90 Niseko rec · 12”x36”	•		M062	1 face
36x80 · 14”x31”	•	M042	M042	1 face
36x80 Gardena · 14”x31”	•		M042	1 face
30x60(n) rec · 12”x24”	•	M041	M041	1 face
RED BODY				
30x90 · 12”x36”	•	M024	M024	1 face
25x70 Polar · 10”x28”	•	M018		1 face
25x70 Artic · 10”x28”	•		M018	1 face
31,6x60 · 12,6”x24”	•	M019	M019	1 face
31,6x60 RLV · 12,6”x24”	•	M022	M022	1 face
33,3x55 Artic · 13”x22”	•		M014	1 face
33,3x55 Polar · 13”x22”	•	M014		1 face
33,3x55 Cubic · 13”x22	•		M011	1 face
33,3x55 Sky · 13”x22	•	M014		1 face

Glossy Red Body
| unique look



Geotwo




Collections



ADZ ARGON

| concrete look

60x60x2cm rec · 24"x24"



ADZ CARNABY

| concrete look



60x120x2cm rec · 24"x48"



ADZ GROUND

| concrete look


60x120x2cm rec · 24"x48"
90x90x2cm rec · 36"x36"
60x90x2cm rec · 24"x36"
60x60x2cm rec · 24"x24"



ADZ PORTLAND

| concrete look

90x90x2cm rec · 36"x36"
60x60x2cm rec · 24"x24"




Collections



ADZ ARDESIA

| stone look

60x120x2cm rec · 24"x48"
60x90x2cm rec · 24"x36"
60x60x2cm rec · 24"x24"



ADZ EDDYSTONE

| stone look

60x120x2cm rec · 24"x48"
60x90x2cm rec · 24"x36"
60x60x2cm rec · 24"x24"



ADZ MONTEPELLIER





| stone look

60x90x2cm rec · 24"x36"
60x60x2cm rec · 24"x24"



Raised Floor Support (Plots))

The number of plots to use will always depend on the chosen format and the mechanical strength required.
For the correct installation in terms of security of **20mm** on plots it is mandatory to put the number of plots indicated in the images.



Complementary pieces

SPECIAL ANGLE	SPECIAL STEP	STEP SQUARED EDGE
FORMATS 30x60 30x90 30x120	FORMATS 30x60 30x90 30x120	FORMATS 20x60 20x90 20x120
STEP ANGLE EXTERIOR SQUARED EDGE	STEP ANGLE INTERIOR SQUARED	STEP SQUARED EDGE
FORMATS 20x60 20x90 20x120	FORMATS 20x60 20x90 20x120	FORMATS 10x15x60 10x15x90 10x15x120
SKIRTING	GRILLE	DRAIN ANGLE
FORMATS 8x60	FORMATS 20x60 20x90 20x120	FORMATS 20x20



Geoslab

Collections

ALABASTRINO marble look	Blanco Marfil
120x280x6mm rec · 48"x110" 160x160x8mm rec · 63"x63"	
ALASKA marble look	White
120x280x6mm rec · 48"x110"	
ARPEGGIO marble look	Nero
120x280x6mm rec · 48"x110" 160x160x8mm rec · 63"x63"	
ARTEMISA marble look	Blanco
120x280x6mm rec · 48"x110" 160x160x8mm rec · 63"x63"	
AURORA marble look	Gold
120x280x6mm rec · 48"x110"	
CRASH marble look	Blanco Beige
120x280x6mm rec · 48"x110"	
FIORDO marble look	Forest
120x280x6mm rec · 48"x110"	

Collections

LABRADORITE marble look	Blue
120x280x6mm rec · 48"x110"	
MAGDA marble look	Blanco Perla Marfil
120x280x6mm rec · 48"x110" 160x160x8mm rec · 63"x63"	
MARVET marble look	White Classic Supreme
120x280x6mm rec · 48"x110"	
ONI marble look	White
120x280x6mm rec · 48"x110"	
SAHARA marble look	Noir
120x280x6mm rec · 48"x110"	
EDDYSTONE stone look	Blanco Perla Arena
120x280x6mm rec · 48"x110" 160x160x8mm rec · 63"x63"	
LAVICA stone look	Blanco Perla Gris Mica
120x280x6mm rec · 48"x110"	


Collections

MEMORY stone look	Blanco Perla Marfil
120x280x6mm rec · 48"x110" 160x160x8mm rec · 63"x63"	
CARNABY stone look	Blanco Gris
120x280x6mm rec · 48"x110" 160x160x8mm rec · 63"x63"	
GROUND concrete look	Perla Gris Arena
120x280x6mm rec · 48"x110"	
PORTLAND concrete look	Blanco Perla Marfil
120x280x6mm rec · 48"x110" 160x160x8mm rec · 63"x63"	
ZERO concrete look	Perla Ceniza Arena
120x280x6mm rec · 48"x110"	
HARU wood look	Almond Miel Tan Roble
120x280x6mm rec · 48"x110"	
CROMATIC marble look	Blanco Black
120x280x6mm rec · 48"x110"	





Technical features



En el mundo de la arquitectura y el diseño, la búsqueda de materiales que combinen estética, funcionalidad y durabilidad es una constante. En este contexto, presentamos **GEO-STEPS** Porcelánico, un innovador peldaño cerámico que redefine los estándares de diseño y rendimiento en pavimentos.

UNIQUE ALL-AROUND DESIGN AND SOLID EFFECT

GEO-STEPS pieces have been carefully designed to offer an exceptional visual and tactile experience. Their surface has different levels of relief, which generates a three-dimensional effect that adds depth and texture to spaces. This feature not only transforms the appearance of any environment, but also contributes to creating a sophisticated and elegant visual impact.

FUNCTIONALITY AND SAFETY AT EVERY STEP


In addition to its aesthetic appeal, **GEO-STEPS** is distinguished by its balance between design and functionality. Its textured surface provides a better grip, making it an ideal choice for areas where safety is a priority, such as bathrooms, kitchens and exteriors. Its resistance to wear and abrasion ensures superior durability, allowing installation in high traffic areas without compromising appearance or performance.

VERSATILE FORMAT AND SEAMLESS INTEGRATION

Available in the practical 33x120 cm | 13 "x48" format, **GEO-STEPS** has been developed to complement a wide range of ceramic floor tiles. Its harmonious integration with different styles and finishes allows for a continuous and uniform design in any construction or renovation project.


THE IDEAL CHOICE FOR CUTTING-EDGE PROJECTS

Thanks to its innovative design, durability and versatility, **GEO-STEPS** Porcelánico is positioned as a must-have choice for architects, designers and homeowners looking for a functional and aesthetically stunning material. Its ability to enhance spaces with a distinctive and sophisticated touch makes it an incomparable choice for those who value quality and excellence in every detail.




Recommendations for laying rectangular piece

The adhesive manufacturer’s instructions must be followed at all times.



Broken joint pattern
(from 2 to 20cm)



Standard straight pattern
(NOT RECOMMENDED)

This manual is designed to improve the quality and maintenance of the installed ceramic tile by offering recommendations from professionals in the sector.
The user may follow all the recommendations given in the manual, or those relevant to the task in hand.
Both recommendations to follow and practices to be avoided are given.
Over the years, Geotiles has achieved sustainable growth in the competitive ceramic tile market. Our presence is now firmly established in the most important distribution channels across the globe, affirming the hallmarks of Geotiles’ identity: quality, design and innovation.

MAINTENANCE RECOMENDATIONS



BIG SIZE INSTALLATION



QUICK CERÁMICA SYSTEM



Special pieces by product type

SPECIAL PIECES		
TYPOLOGY	NAME	PIECE
Super Polished Polished Porcelain Tile Glazed Porcelain	Special angle	
	Special step	
Porcelain Tile	Step angle squared edge	
	Plinth rounded edge	
	Step rounded edge	
Porcelain Tile	Special step	SERIES: Tabula Haru
	Special step	SERIES: Arehuk Eddystone Portland
Red Body	Plinth rounded edge	

TECHNICAL FEATURES

Technical Features

SUPER POLISHED | POLISHED PORCELAIN

	GROUP BIa (GL) Water absorption <0.5%	STANDARD NORMES	VALUE REQUIRED BY EN 14411 STANDARD	AVERAGE VALUE
	Dimensional Features	ISO 10545-2		Conforms to Standard
	Water absorption	ISO 10545-3	< 0,5%	0,1%
	Modulus of rupture	ISO 10545-4	> 35 N/mm2 > 1300 N	35-45 N/mm2 1800-2500 N
	Resistance to surface abrasion	ISO 10545-7	Resistance to surface abrasion	According to models
	Linear thermal expansion	ISO 10545-8	Test method available	< 7,0 x 10-6 °C -1
	Thermal shock resistance	ISO 10545-9	Test method available	Resists
	Frost resistance	ISO 10545-12	Test method available	Resists
	Chemical resistance Acids and bases	ISO 10545-13	Test method available	Conforms to Standard
	Resistance to stains	ISO 10545-14	Test method available	Conforms to Standard

PORCELAIN

	GROUP BIa (GL) Water absorption <0.5%	STANDARD NORMES	VALUE REQUIRED BY EN 14411 STANDARD	AVERAGE VALUE
	Dimensional Features	ISO 10545-2		Conforms to Standard
	Water absorption	ISO 10545-3	< 0,5%	0,1%
	Modulus of rupture	ISO 10545-4	> 35 N/mm2 > 1300 N	35-45 N/mm2 1800-2500 N
	Resistance to surface abrasion	ISO 10545-7	Resistance to surface abrasion	According to models
	Linear thermal expansion	ISO 10545-8	Test method available	< 7,0 x 10-6 °C -1
	Thermal shock resistance	ISO 10545-9	Test method available	Resists
	Frost resistance	ISO 10545-12	Test method available	Resists
	Chemical resistance Acids and bases	ISO 10545-13	Test method available	Conforms to Standard
	Resistance to stains	ISO 10545-14	Test method available	Conforms to Standard
	Slip Resistance	DIN 51530 DIN 51097 UNE-ENV 12633 ASTM C 1028	R Rating	According to models

TECHNICAL FEATURES

Technical Features

GLAZED PORCELAIN

	GROUP BIb (GL) Water absorption <0.5%<E>3%	STANDARD NORMES	VALUE REQUIRED BY EN 14411 STANDARD	AVERAGE VALUE
	Dimensional Features	ISO 10545-2		Conforms to Standard
	Water absorption	ISO 10545-3		According to models
	Modulus of rupture	ISO 10545-4	> 35 N/mm2 > 1300 N	35-45 N/mm2 1800-2500 N
	Resistance to surface abrasion	ISO 10545-7	Resistance to surface abrasion	According to models
	Linear thermal expansion	ISO 10545-8	Test method available	< 7,0 x 10-6 °C
	Thermal shock resistance	ISO 10545-9	Test method available	Resists
	Moisture expansion	ISO 10545-10	Average value mm/m	<0,1
	Frost resistance	ISO 10545-12	Test method available	Resists
	Chemical resistance Acids and bases	ISO 10545-13	Test method available	Conforms to Standard
	Resistance to stains	ISO 10545-14	Test method available	Conforms to Standard
	Slip Resistance	DIN 51530 DIN 51097 UNE-ENV 12633 ASTM C 1028	R Rating	According to models

TECHNICAL FEATURES

Technical Features

WHITE BODY

	GROUP BII (GL) Water absorption >10%	STANDARD NORMES	VALUE REQUIRED BY EN 14411 STANDARD	AVERAGE VALUE
	Dimensional Features	ISO 10545-2		Conforms to Standard
	Water absorption	ISO 10545-3	>10%	14-16%
	Modulus of rupture	ISO 10545-4	> 15 N/mm2 > 600 N	20-30 N/mm2 700-1000 N
	Linear thermal expansion	ISO 10545-8	Test method available	< 7,0 x 10-6 °C -1
	Chemical resistance Acids and bases	ISO 10545-13	Test method available	Conforms to Standard
	Resistance to stains	ISO 10545-14	Test method available	Conforms to Standard

RED BODY

	GROUP BII (GL) Water absorption >10% %	STANDARD NORMES	VALUE REQUIRED BY EN 14411 STANDARD	AVERAGE VALUE
	Dimensional Features	ISO 10545-2		Conforms to Standard
	Water absorption	ISO 10545-3	>10%	14-16%
	Modulus of rupture	ISO 10545-4	> 15 N/mm2 > 600 N	20-30 N/mm2 700-1000 N
	Linear thermal expansion	ISO 10545-8	Test method available	< 7,0 x 10-6 °C -1
	Chemical resistance Acids and bases	ISO 10545-13	Test method available	Conforms to Standard
	Resistance to stains	ISO 10545-14	Test method available	Conforms to Standard

RED BODY FLOOR TILES

	GROUP BIa (GL) Water absorption 3%<E<6%	STANDARD NORMES	VALUE REQUIRED BY EN 14411 STANDARD	AVERAGE VALUE
	Dimensional Features	ISO 10545-2		Conforms to Standard
	Water absorption	ISO 10545-3	3%<E<6%	5%
	Modulus of rupture	ISO 10545-4	> 22 N/mm2 > 1100 N	30-40 N/mm2 1400-1900 N
	Resistance to surface abrasion	ISO 10545-7	Test method available	According to models
	Linear thermal expansion	ISO 10545-8	Test method available	< 7,0 x 10-6 °C
	Thermal shock resistance	ISO 10545-9	Test method available	Resists
	Chemical resistance Acids and bases	ISO 10545-13	Test method available	Conforms to Standard
	Resistance to stains	ISO 10545-14	Test method available	Conforms to Standard
	Slip Resistance	DIN 51530 DIN 51097 UNE-ENV 12633 ASTM C 1028		Conforms to Standard

TECHNICAL FEATURES

Packing list

Sizes	Pcs/Box	Sqm/Box	Boxes/Pallet	Sqm/Pallet	Kg/Box	Kg/Pallet
Super Polished						
120x120 · 48"x48"	1	1,44	36	51,84	35,00	1.300,00
60x120 · 24"x48"	2	1,44	32	46,08	34,25	1.121,00
Polished Porcelain						
90x180 · 36"x72"	1	1,62	24	38,88	42,00	1.068,00
120x120 · 48"x48"	1	1,44	36	51,84	35,00	1.300,00
60x120 · 24"x48"	2	1,44	32	46,08	34,25	1.121,00
90x90 · 36"x36"	2	1,62	32	51,84	32,56	1.087,00
75x75 · 30"x30"	3	1,69	36	60,84	34,00	1.244,00
60x60 · 24"x24"	4	1,44	30	43,20	30,00	920,00
30x60 · 12"x48"	6	1,08	48	51,84	23,60	1.152,80
9x30 · 3,5"x12"	40	1,08	48	51,84	25,00	1.220,00
Porcelain Tiles						
90x180 · 36"x72"	1	1,62	24	38,88	42,00	1.068,00
75x150 · 36"x72"	1	1,13	40	45,20	28,00	1.184,00
100x100 · 40"x40"	2	2,00	27	54,00	41,00	1.129,00
120x120 · 48"x48"	1	1,44	36	51,84	35,00	1.300,00
60x120 · 24"x48"	2	1,44	32	46,08	34,25	1.121,00
60x120 (9mm) · 24"x48"	2	1,44	36	51,84	28,62	1.055,00
90x90 · 36"x36"	2	1,62	32	51,84	32,56	1.087,00
45x90 · 18"x36"	3	1,21	55	66,55	25,00	1.395,00
40x60 · 16"x24"	5	1,20	48	57,60	25,20	1.229,60
75x75 · 30"x30"	3	1,69	36	60,84	34,00	1.244,00
60,8x60,8 · 24"x24"	4	1,48	30	44,40	31,35	960,50
60x60 rect · 24"x24"	4	1,44	30	43,20	30,00	920,00
30,3x61,3 · 12"x24"	7	1,30	40	52,00	25,00	1.020,00
30x60 rect (C) · 12"x24"	6	1,08	48	51,84	23,60	1.152,80
45x45 · 18"x18"	6	1,22	52	63,44	25,80	1.361,60
33,3x33,3 · 13"x13"	12	1,33	46	61,18	24,50	1.147,00
25x150 · 10"x60"	4	1,50	40	60,00	35,00	1.430,00
23x120 · 9"x48"	5	1,38	48	66,24	26,20	1.286,00
20x120 (9mm) · 8"x48"	7	1,68	44	73,92	32,00	1.437,00
20x120 (Xtra) · 8"x48"	9	2,16	44	95,04	32,25	1.492,00
25x100 · 10"x40"	6	1,50	36	54,00	28,50	1.046,00
20x75 · 8"x30"	7	1,05	72	75,60	19,74	1.441,00
20x60 (6mm) · 8"x24"	13	1,56	64	99,84	23,60	1.530,40
5x25 recto · 2"x10"	60	0,75	75	56,25	13,50	1.032,50
5x25 rounded · 2"x10"	60	0,67	75	50,25	13,00	995,00
22,3x22,3 · 9"x9"	20	1,00	45	45,00	24,00	1.100,00
15x15 · 6"x6"	25	0,56	104	58,24	10,00	1.060,00
17x52 · 7"x21"	13	1,15	55	63,25	25,00	1.285,00
17x52 (8,8mm) · 7"x21"	17	1,50	55	82,50	22,5	1.257,00
17x52 4D · 7"x21"	10	0,89	55	48,95	20,40	1.111,00

GEOTILES reserves the right to modify the packing of any product reference.

Sizes	Pcs/Box	Sqm/Box	Boxes/Pallet	Sqm/Pallet	Kg/Box	Kg/Pallet
Geotwo						
60x120 · 24"x48"	1	0,72	33	23,76	29,40	965,00
90x90 · 36"x36"	1	0,81	30	24,30	33,90	1.042,00
60x90 · 24"x36"	2	1,08	22	23,76	21,35	1.015,00
60x60 · 24"x24"	2	0,73	30	21,60	28,80	875,00
Honed						
120x120 · 48"x48"	1	1,44	36	51,84	35,00	1.300,00
60x120 · 24"x48"	2	1,44	32	46,08	34,25	1.121,00
Silk						
120x120 · 48"x48"	1	1,44	36	51,84	35,00	1.300,00
90x120 · 24"x48"	2	1,44	32	46,08	34,25	1.121,00
60x90 · 36"x36"	2	1,62	32	51,84	32,56	1.081,00
60x60 · 24"x24"	4	1,44	30	43,20	30,00	920,00
30x60 · 12"x48"	6	1,08	48	51,84	23,60	1.152,80
Glazed Porcelain						
60x120 (9mm) · 24"x48"	2	1,44	36	51,84	29,50	1.091,00
90x90 · 36"x36"	2	1,62	32	51,84	32,56	1.081,00
75x75 · 30"x30"	3	1,69	36	60,84	34,00	1.244,00
30,3x61,3 · 12"x24"	7	1,30	40	52,00	25,00	1.020,00
60,8x60,8 · 24"x24"	4	1,48	30	44,40	31,35	960,50
60,8x60,8(8,5mm) · 24"x24"	5	1,85	30	55,50	34,00	1.040,00
60x60 rect · 24"x24"	4	1,44	30	43,20	30,00	965,00
60x60 (8,5mm) · 24"x24"	5	1,80	30	54,00	33,40	1.022,00
30x60 rect · 12"x24"	6	1,08	48	51,84	23,60	1.152,80
White Body						
60x120 rect · 24"x48"	2	1,44	36	51,84	21,00	781,00
33,3x100 rect · 13"x40"	6	2,00	48	96,00	25,00	1.222,00
30x90 rect · 12"x36"	5	1,35	63	85,05	20,22	1.298,86
36x80 · 14"x31"	4	1,15	54	62,10	19,20	1.056,80
30x60 rect(7mm) · 12"x24"	9	1,62	60	97,20	20,00	1.220,00
20x60 · 8"x24"	9	1,08	80	86,40	17,90	1.452,00
Red Body						
30x90 · 12"x36"	7	1,90	48	91,20	30,50	1.479,70
25x70 · 10"x28"	9	1,58	64	101,12	24,64	1.596,96
31,6x60 · 12,6"x24"	8	1,52	48	72,96	26,00	1.268,00
20x60 · 8"x24"	9	1,08	80	86,40	17,90	1.452,00
33,3x55 · 13"x22"	10	1,84	48	88,32	28,00	1.364,00
25x50 · 10"x20"	16	2,00	48	96,00	26,50	1.292,00
45x45 · 18"x18"	7	1,42	52	73,84	26,00	1.372,00
33,3x33,3 (8,5mm) · 13"x13"	12	1,33	50	66,50	24,20	1.230,00

Geotiles S.L.U operates a policy of continuous development and reserves the right to make changes to its products, colours, engineering specifications, packaging codes without prior notice. Geotiles has taken every effort to ensure that the information contained in the catalogue is correct at the time of publication. Due to the limitations of the printing process, the colours reproduced may vary slightly from the original product.

Certificates

	GEOTILES S.L.U. complies with all the obligations derived from the CE marking for its products defined by the European community according to the EN ISO 14411 standard.		Self-declarations of the minimum % content of pre-consumer recycled material content have been made in accordance with ISO 14021-Self-declared environmental claims (Type II environmental labelling).
	The UKCA (United Kingdom Conformity Assessed Mark) is the new UK product marking that will be required for certain products that are marketed in Great Britain (England, Wales and Scotland).. The UKCA (United Kingdom Conformity Assessed Mark) is the new UK product marking that will be required for certain products that are marketed in Great Britain (England, Wales and Scotland).		FloorScore® is the most recognized Indoor Air Quality Certification (IAQ) standard for hard surface flooring materials, adhesives, and flooring. Developed by SCS with the Resilient Floor Covering Institute (RFCI), a trade association for the flooring manufacturer and supplier industry, it qualifies for many green building schemes.
	The CCC certificate (China Compulsory Certificate) is applied to products for export or production in that territory. Concerns both health and safety related to ceramic tiles. The certificate is obtained through the institutes expressly accredited by the Chinese authorities.		Our products have been evaluated by carrying out a life cycle analysis, from the extraction of raw materials, through production; to the recovery of construction and demolition waste. This analysis has been carried out according to the international standards of the ISO 14040 series and has been published in the EPD environmental product declaration (ISO 14025) certified by AENOR.
	GEOTILES has implemented a quality management system, in accordance with the ISO 9001 standard, certified by Lloyds Register Quality Assurance. Committed to excellence in management and understanding quality as its hallmark, the keys to compliance with this standard are: - Improve customer satisfaction. - To increase employee commitment to quality. - To optimise the operation of the business units and the marketing service. - Commitment to continuous improvement as the key to business success		(Leadership in Energy and Environmental Design) is a green certification program developed by the U.S. Green Boulding Council that recognizes sustainable, healthy and highly efficient building strategies and practices. GEOTILES products are manufactured with a content of recycled material, free of VOCs, waterproof and with EPDs associated with the product that contribute to the satisfaction of the credits of the LEED® v4 certification. For more information: https://www.usgbc.org/leed
	Certification defining the conformity and technical characteristics of our product in the SASO USO 13006/20188 for export to Saudi Arabia.		French certification for products that defines the conformity of the final product with the QB-32 and cahier 3778 standards of NF-UPEC regarding the technical characteristics according to the usability and purpose of the product.



Visit our website to see all certificates and additional information.



Carretera Vila-Real, Onda Km.6 P.O. Box 116
12540 Vila-Real (Castellón) Tel: +34 964 522 700
www.geotiles.com